



BN 861
Taper pins
unhardened, ground
Free-cutting steel
plain
<ul style="list-style-type: none"> • ~VSM 12770 A • ~UNI 7283 • ~CSN 022153
<ul style="list-style-type: none"> • Tolerance: h10



Article#	d ₁	a~	L
1311433	1,5	0,2	10
1311441			12
1311468			14
1311476			16
1311492			20
1311514			25
1311530	2	0,25	10
1311549			12
1311557			14
1311565			16
1311581			20
1311611			25
1311689	2,5	0,3	12
1311697			14
1311700			16
1311727			20
1311743			25
1311832	3	0,4	14
1311840			16
1311867			20
1311883			25
1311913			30
1311948			35
1311956			40

Article#	d ₁	a~	L
1311964	3	0,4	45
1311972			50
3092774	4	0,5	16
1312006			20
1312022			25
1312057			30
1312073			35
1312081			40
1312103			45
1312111			50
1312146			60
1312154	5	0,63	20
1312170			25
1312200			30
1312227			35
1312235			40
1312243			45
1312251			50
1312278			55
1312286			60
1312294			70
1312308	6	0,8	25
1312332			30
1312359			35
1312367			40
1312375			45
1312383			50
1312391			55
1312405			60
1312413			70
1312421			80
1312448			90
1312456			100
1312464	8	1	30
1312480			35
1312499			40
1312502			45
1312510			50
1312529			55
1312537			60
1312545			70

Article#	d ₁	a~	L
1312553	8	1	80
1312561			90
1312588			100
1312618			120
1312634	10	1,2	35
1312642			40
1312650			45
1312669			50
1312685			60
1312693			70
1312707			80
1312715			90
1312723			100
1312758			120
1312790	12	1,6	50
1312812			60
1312820			70
1312839			80
1312847			90
1312855			100
1312871			120