


O4

Hex thin nuts, steel

DIN 439 B




ISO 4035

d	s	m	plain			zinc plated		
			100	1000	10 000	100	1000	10 000
quantity								
M								
1,6	3,2	1	11.30	8.70	7.80			
2	4	1,2	6.40	3.40	2.55	6.50	3.55	2.65
2,5	5	1,6	6.50	3.50	2.65	7.10	4.30	3.35
3	5,5	1,8	6.-	3.20	1.80	6.40	3.40	1.90
(3,5)	6	2	7.-	4.50	3.45	7.50	4.80	3.75
4	7	2,2	6.-	3.30	1.95	6.50	3.50	2.20
5	8	2,7	6.-	3.40	2.20	6.50	3.60	2.50
6	10	3,2	6.20	3.70	2.90	6.50	3.90	3.10
8	13	4	6.80	4.70	3.70	8.30	5.50	4.20
10	17 ISO 16	5	15.60	11.10	8.90	16.-	12.70	9.90
12	19 ISO 18	6	24.75	16.40	13.70	25.50	18.80	15.-
(14)	22 ISO 21	7	36.50	27.75	24.10	39.-	30.-	26.50
16	24	8	39.75	28.50	25.20	42.50	32.50	28.-
(18)	27	9	62.-	49.50		67.50	52.50	
20	30	10	83.-	59.50		93.-	66.50	
(22)	32 ISO 34	11	135.-	111.-		144.-	120.-	
24	36	12	145.-	120.-		153.-	134.-	
(27)	41	13,5	221.-	166.-		245.-	185.-	
30	46	15	336.-	252.-		352.-	264.-	
(33)	50	16,5	480.-	360.-		515.-	388.-	
36	55	18	505.-	378.-		540.-	405.-	
(39)	60	19,5	870.-			935.-		
42	65	21	965.-			1090.-		
(45)	70	22,5	1490.-					
48	75	24	1570.-			1680.-		
(52)	80	26	2170.-					
left hand thread								
4 L	7	2,2	12.10	8.-		12.30	8.10	6.40
5 L	8	2,7	13.10	8.70		13.30	8.90	6.90
6 L	10	3,2	15.60	10.30		16.70	11.10	8.70
8 L	13	4	23.50	15.60		25.-	16.50	13.20
10 L	17 ISO 16	5	32.25	21.25		34.-	23.25	18.60
12 L	19 ISO 18	6	55.50	38.25		59.-	41.-	33.-
(14) L	22 ISO 21	7	82.-	58.50		87.50	68.-	60.50
16 L	24	8	113.-	81.50		120.-	86.50	72.-
18 L	27	9				242.-	178.-	139.-

04

Hex thin nuts, steel

DIN 439 B




ISO 4035

d	s	m	black		yellow zinc plated	
			100	1000	100	1000
bei/par						
M						
2,5	5	1,6			7.20	4.40
3	5,5	1,8	6.80	3.80	6.80	3.80
(3,5)	6	2	7.90	5.10		
4	7	2,2	6.80	3.90	6.80	3.90
5	8	2,7	6.80	4.10	6.80	4.10
6	10	3,2	6.80	4.30	6.80	4.30
8	13	4	9.30	5.90	9.10	5.70
10	17 ISO 16	5	17.90	13.80	17.50	13.-
12	19 ISO 18	6	26.50	20.50	25.40	19.60
(14)	22 ISO 21	7	44.50	33.25	42.-	32.25
16	24	8	51.-	34.-	46.50	33.25
(18)	27	9	84.-	63.-		
20	30	10	106.-	74.50	102.-	73.-
(22)	32 ISO 34	11	154.-	130.-		
24	36	12	200.-	164.-	168.-	147.-

O4

Hex thin nuts, steel

DIN 439 B




Fine thread

ISO 8675

d	s	m	plain		zinc platec	
			100	1000	100	1000
quantity			100	1000	100	1000
MF						
8 x 1	13	4	11.-	7.30	12.50	8.40
10 x 0,75	17 ISO 16	5			18.40	12.60
10 x 1	17 ISO 16	5	18.-	12.-	20.50	13.60
10 x 1,25	17 ISO 16	5	18.-	12.-	20.50	13.60
12 x 1	19 ISO 18	6	32.50	21.50	34.75	24.-
12 x 1,25	19 ISO 18	6	33.25	22.25	36.-	24.75
12 x 1,5	19 ISO 18	6	28.25	18.80	32.-	21.25
14 x 1	22 ISO 21	7	67.50	47.-	73.-	50.50
14 x 1,5	22 ISO 21	7	51.50	35.50	57.-	39.50
16 x 1	24	8	70.50	48.50	77.50	53.50
16 x 1,5	24	8	51.50	35.50	59.-	40.50
18 x 1,5	27	9	98.50	70.50	108.-	77.50
18 x 2	27	9	98.50	70.50	108.-	77.50
20 x 1,5	30	10	103.-	73.50	116.-	83.50
20 x 2	30	10	113.-	81.50	127.-	91.-
22 x 1,5	32 ISO 34	11	200.-	150.-	217.-	162.-
22 x 2	32 ISO 34	11	201.-	152.-	226.-	169.-
24 x 1,5	36	12	205.-	155.-	229.-	172.-
24 x 2	36	12	186.-	140.-	208.-	156.-
27 x 1,5	41	13,5	284.-	197.-	356.-	268.-
27 x 2	41	13,5	280.-	195.-	350.-	260.-
30 x 1,5	46	15	396.-	298.-	466.-	345.-
30 x 2	46	15	415.-	310.-	473.-	361.-
33 x 1,5	50	16,5	660.-	495.-		
33 x 2	50	16,5	660.-	495.-		
36 x 1,5	55	18			710.-	550.-
36 x 2	55	18	750.-	560.-		
36 x 3	55	18	735.-	555.-		

Hex coupling nuts, steel


DIN 6334



d	s	m	zinc plated	
			100	1000
quantity				
M				
4	7	12	71.50	56.-
5	8	15	69.50	54.50
6	10	18	62.50	51.-
8	13	24	72.50	57.-
10	17 ISO 16	30	108.-	92.50
12	19 ISO 18	36	144.-	123.-
14	22 ISO 21	42	254.-	198.-
16	24	48	238.-	187.-
20	30	60	390.-	328.-
24	36	72	630.-	545.-

Hex cap nuts, steel


DIN 917



d	s	h max.	plain		zinc plated		chrome plated	
			100	1000	100	1000	100	1000
quantity								
M								
3	5,5	5			13.40	8.80		
4	7	5,5	12.90	8.40	13.50	8.90	140.-	96.-
5	8	7	13.40	8.70	15.50	10.10	149.-	102.-
6	10	9	20.75	13.40	21.75	14.10	155.-	110.-
8	13	12	31.-	20.25	32.75	22.25	172.-	122.-
10	17 ISO 16	14	56.50	38.25	63.-	42.50	204.-	146.-
12	19 ISO 18	16	80.50	57.-	88.50	62.50	266.-	189.-
(14)	22 ISO 21	18	129.-	91.-	142.-	100.-	382.-	272.-
16	24	20	148.-	109.-	164.-	121.-	455.-	324.-
(18)	27	22	241.-	209.-				
20	30	25	272.-	202.-	308.-	228.-		
(22)	32 ISO 34	28	450.-	392.-				
24	36	30	620.-	515.-	735.-	615.-		
(27)	41	32			950.-	830.-		

Hex domed nuts, steel

DIN 1587
(acorn nuts)




d	s	h max.	plain		zinc plated		chrome plated	black
			100	1000	100	1000	100	100
quantity								
M								
3	5,5	6	11.-	7.70	11.90	8.30	157.-	13.30
4	7	8	11.30	7.90	12.20	8.50	165.-	13.70
5	8	10	12.60	8.80	13.40	9.40	176.-	14.40
6	10	12	18.-	12.60	19.30	13.50	205.-	20.25
8	13	15	30.75	22.25	34.25	25.-	270.-	36.-
10	17 ISO 16	18	53.50	39.-	60.-	43.50	310.-	62.50
12	19 ISO 18	22	80.-	60.50	88.-	67.-	387.-	90.50
(14)	22 ISO 21	25	134.-	101.-	139.-	110.-	460.-	144.-
16	24	28	142.-	112.-	157.-	124.-	555.-	160.-
(18)	27	32	246.-	196.-				
20	30	34	272.-	215.-	298.-	236.-		
(22)	34 ISO 32	39	605.-	480.-				
24	36	42	630.-	495.-	745.-	590.-		

DIN 1587-S two pieces, welded

d	s	h max.	zinc plated	
			100	1000
quantity				
M				
4	7	8	11.-	7.80
5	8	10	11.80	8.30
6	10	12	15.80	11.20
8	13	15	23.50	16.80
10	17 ISO 16	18	41.-	29.-
12	19 ISO 18	22	68.-	52.-

Hex castle nuts, steel

DIN 935



d	s	h	w	n	plain		zinc plated	
					max.	max.	100	1000
quantity					100	1000	100	1000
M								
5	7	6	4,4	1,5	36.25	29.-	46.-	31.-
6	10	7,5	5	2	34.-	26.-	35.-	26.50
8	13	9,5	6,5	2,5	34.75	26.50	35.75	28.50
10	17 ISO 16	12	8	2,8	42.50	32.-	44.50	35.50
12	19 ISO 18	15	10	3,5	59.-	46.50	63.-	50.50
(14)	22 ISO 21	16	11	3,5	85.-	71.-	91.50	76.50
16	24	19	13	4,5	92.-	77.-	101.-	85.-
(18)	27	21	15	4,5	148.-	122.-	164.-	135.-
20	30	22	16	4,5	127.-	107.-	138.-	124.-
(22)	32 ISO 34	26	18	5,5	308.-	219.-	336.-	243.-
24	36	27	19	5,5	376.-	268.-	405.-	294.-
(27)	41	30	22	5,5	435.-		480.-	
30	46	33	24	7	510.-		590.-	
(33)	50	35	26	7	895.-		955.-	
36	55	38	29	7	905.-		1020.-	
(39)	60	40	31	7	1460.-		1600.-	
42	65	46	34	9	2330.-		2510.-	
(45)	70	48	36	9	2530.-		2690.-	
48	75	50	38	9	2850.-		3090.-	
MF								
8 x 1	13	9,5	6,5	2,5			44.-	35.25
12 x 1,25	19 ISO 18	15	10	3,5			101.-	84.-
12 x 1,5	19 ISO 18	15	10	3,5	113.-	77.50	119.-	82.-
16 x 1,5	24	19	13	4,5	135.-	92.50	148.-	102.-
20 x 1,5	30	22	16	4,5	194.-	151.-	216.-	167.-
22 x 1,5	32 ISO 34	26	18	5,5	270.-	192.-	278.-	203.-
22 x 2	32 ISO 34	26	18	5,5	276.-	197.-	302.-	219.-
24 x 1,5	36	27	19	5,5	342.-	243.-	440.-	380.-
24 x 2	36	27	19	5,5	328.-	235.-	364.-	264.-
30 x 2	46	33	24	7			640.-	515.-